


Your **Power** for Health

**n3D**  
Biosciences, Inc.

  
greiner bio-one



## 3D Cell Culture


With Products from Greiner Bio-One  
and Nano3D Biosciences

# Introduction


## Why 3D Culture?

In preclinical drug discovery validation processes, monolayer cell cultures are still predominant. Nevertheless, 2D cultures can only mimic the conditions of physiological tissue to a limited extent, whereas cells *in vivo* are able to interact in a three-dimensional network. Therefore, results generated from 2D cultures may often be of limited relevance for clinical effectiveness and may contribute to high attrition rates in the drug development process.<sup>1</sup> The employment of spheroid cultures is regarded as a better rational to develop more predictive *in-vitro* screening assays for preclinical drug development, especially in cancer research.

In spheroid cultures, cells grow in a three-dimensional system with zones of cellular heterogeneity and nutrient and oxygen gradients, to more closely reflect the *in-vivo* tumor microenvironment (**Fig. 2**). Comparisons of spheroid cultures and 2D monolayer cultures showed functional differences in tumour cell lines, e.g. alterations in protein expression, phosphorylation patterns and responsiveness to inhibitor molecules.<sup>2,3</sup>



**Figure 1:** 3D Co-culture. Daquinag, A. C., Souza, G. R. & Kolonin, M. G. Adipose tissue engineering in three-dimensional levitation tissue culture system based on magnetic nanoparticles. *Tissue Eng. Part C. Methods* 19, 336–44 (2013).



**Figure 2:** Schematic description of a tumour spheroid

- 1) Friedrich J. et al. (2007). Experimental anti-tumour therapy in 3-D: Spheroids - old hat or new challenge? *Int J Rad Biol.* 83(11-12):849-871.
- 2) Ekert J E et al. (2014) Three-dimensional lung tumor microenvironment modulates therapeutic compound responsiveness in vitro – implications for drug development. *PLOS ONE* 9(3): e92248. doi:10.1371/journal.pone.0092248
- 3) Vinci, M et al. (2012) Advances in establishment and analysis of three-dimensional tumor spheroid-based functional assays for target validation and drug evaluation. *BMC Biology* 10:29.

# The n3D Approach

## Magnetic 3D Cell Culturing

The core technology of our partner Nano3D Biosciences (n3D) is the magnetization of cells with NanoShuttle™-PL. The cells can be aggregated with magnetic forces, either by levitation or printing, to form structurally and biologically representative 3D models *in vitro*.

The **advantages** of magnetic cell culture include:

- Mimicking native tissue environment
- Rapid 3D model formation within hours
- No specialized equipment, media, or artificial substrate
- Easy to handle / no sample loss
- Allows co-culture

With magnetized spheroids, solution addition and removal is made easy by using magnetic force to hold them in a stationary position during aspiration, thereby limiting spheroid loss. Spheroids can also be picked up and transferred between vessels using magnetic tools such as the MagPen™.<sup>4</sup>

NanoShuttle™-PL consists of gold, iron oxide, and poly-L-lysine.<sup>5</sup> NanoShuttle™-PL magnetizes cells by electrostatically attaching to cell membranes during an overnight static incubation. Magnetized cells will appear peppered with dark nanoparticles after incubation. NanoShuttle™-PL will stay attached to the cell membrane for up to 8 days, at which point it's released into the 3D culture.<sup>5</sup> NanoShuttle™-PL is biocompatible, having no effect on metabolism, proliferation, and inflammatory stress<sup>6-7</sup>, and even encouraging proliferation in 3D.<sup>5,8</sup> Additionally, it does not interfere with experimental techniques, such as fluorescence<sup>9</sup>, or Western blotting.<sup>10</sup>




Figure 3: Magnetic 3D bioprinting and levitation

- 4) Tseng, H. et al. Assembly of a three-dimensional multitype bronchiole coculture model using magnetic levitation. *Tissue Eng. Part C. Methods* 19, 665–75 (2013).
- 5) Souza, G. R. et al. Three-dimensional tissue culture based on magnetic cell levitation. *Nat. Nanotechnol.* 5, 291–6 (2010).
- 6) Tseng, H. et al. Assembly of a three-dimensional multitype bronchiole coculture model using magnetic levitation. *Tissue Eng. Part C. Methods* 19, 665–75 (2013).
- 7) Tseng, H. et al. A three-dimensional co-culture model of the aortic valve using magnetic levitation. *Acta Biomater.* 10, 173–82 (2014).
- 8) Castro-Chavez, F., Vickers, K. C., Lee, J. S., Tung, C.-H. & Morrisett, J. D. Effect of lyso-phosphatidylcholine and Schnurri-3 on osteogenic transdifferentiation of vascular smooth muscle cells to calcifying vascular cells in 3D culture. *Biochim. Biophys. Acta* 1830, 3828–34 (2013).
- 9) Daquinag, A. C., Souza, G. R. & Kolonin, M. G. Adipose tissue engineering in three-dimensional levitation tissue culture system based on magnetic nanoparticles. *Tissue Eng. Part C. Methods* 19, 336–44 (2013).
- 10) Molina, J. R., Hayashi, Y., Stephens, C. & Georgescu, M.-M. Invasive glioblastoma cells acquire stemness and increased Akt activation. *Neoplasia* 12, 453–63 (2010).

# CELLSTAR® Cell Culture Vessels with Cell-Repellent Surface

## The Perfect Match for Magnetic Cell Culture

For the successful application of magnetic 3D cell culturing, attachment of the cells to the surface of the culture vessel used must be avoided. Therefore standard tissue culture products, which are optimized to enhance conditions for cell attachment, cannot be used. The Greiner Bio-One CELLSTAR® cell culture vessels with cell-repellent surface (**Fig. 4**) effectively prevent cell attachment and therefore provide the perfect match for the n3D magnetic cell culturing approach.

The cell-repellent properties are achieved through an innovative chemical modification of the vessel surface. All cell culture vessels with cell-repellent surface are sterilized by irradiation (SAL of  $10^{-3}$ ) and controlled for absence of detectable endotoxins, DNase/RNase and human DNA. Vessels with a cell-repellent surface additionally demonstrate no cytotoxic effects. Evaluation of cytotoxicity is done in accordance to EN ISO 10993-5 with mammalian cell lines.

As with all Greiner Bio-One microplates, cell-repellent surface microplates are manufactured with a footprint that conforms to the recommendations of the American National Standards Institute (ANSI 1-2004) to guarantee compatibility with all widely used lab equipment.

Cell culture vessels equipped with the Greiner Bio-One cell-repellent surface present an ideal platform for cultivating suspension cultures of semi-adherent and adherent cell lines as well as the formation of stem cell aggregates and spheroids either with or without magnetic approach.



**Figure 4:** CELLSTAR® cell culture vessels with cell-repellent surface in clear version (left) and black version with  $\mu$ Clear® film bottom (right).



**Figure 5:** Single spheroids in a CELLSTAR® 96 well cell culture microplate (U-bottom) with cell-repellent surface



Further information on CELLSTAR® cell-repellent surface can be found in the Download Panel on our website [www.gbo.com](http://www.gbo.com):

→ **Forum No. 17: CELLSTAR® Cell Culture Vessels with Cell-Repellent Surface (F073 777)**

# Magnetic 3D Cell Culturing

## Spheroid Bioprinting

Magnetic 3D bioprinting is a rapid and effective tool to print spheroids that are representative of native cellular environments in an easy to handle manner. While other spheroid systems can mimic native cellular environments, they take a long time to form and are difficult to handle/retrieve. Magnetic 3D bioprinting addresses these issues by utilizing n3D's core technology, magnetizing cells with NanoShuttle™-PL to print spheroids. In magnetic 3D bioprinting, cells incubated with NanoShuttle™-PL overnight are printed into spheroids by placing magnetized cells atop a drive of magnets, fashioned below each well of a standard microplate.<sup>11</sup> The magnets below each well aggregate the cells using mild magnetic forces to form a spheroid at the well bottom. In only 15 minutes to a few hours, the plate of spheroids can be removed from the magnet drive for short to long-term culture.




Figure 7: Magnetic 3D bioprinting




Figure 6: Viability of PC3 spheroids of various sizes as measured by (left) the real-time CellTiter-Glo assay (Promega, Madison, WI) and (right) live/dead staining.

!

Watch our video  
"Magnetic 3D Bioprinting Spheroids"

<http://youtu.be/0g8PICDdqvA>

Magnetic forces can also be used to create co-cultures with fine spatial organization.<sup>12</sup>




Figure 8: Co-culture of primary human tracheal smooth muscle cells (green) and A549 human alveolar epithelial lung adenocarcinoma cells (red) at varying ratios.

11) Timm, D. M. et al. A high-throughput three-dimensional cell migration assay for toxicity screening with mobile device-based macroscopic image analysis. *Sci. Rep.* 3, 3000 (2013)  
 12) Tseng, H. et al. Assembly of a three-dimensional multitype bronchiole coculture model using magnetic levitation. *Tissue Eng. Part C. Methods* 19, 665–75 (2013).

# Magnetic 3D Cell Culturing

## Magnetic Levitation

Magnetic levitation is an easy tool to recreate native tissue environments *in vitro*. Cells are magnetized with NanoShuttle™-PL through overnight incubation and dispensed into a cell-repellent dish or multiwell plate, where they are levitated off the bottom by a magnet above the plate.<sup>13</sup> In levitating cells off the substrate bottom, the magnetic forces work as an invisible scaffold that rapidly aggregates cells to induce cell-cell interactions and ECM synthesis. The resultant 3D culture is formed without any artificial substrate or specialized media or equipment and can be cultured long-term.<sup>14</sup>




Figure 9: Magnetic levitation in a cell culture dish




Figure 10: Three-dimensional cell culture with magnetic-based levitation

!

Watch our video  
 “3D Cell Culturing with Bio-Assembler”  
<https://www.youtube.com/watch?v=RKOn348qQ4c#t=11>

13) Souza, G. R. et al. Three-dimensional tissue culture based on magnetic cell levitation. *Nat. Nanotechnol.* 5, 291–6 (2010).  
 14) Daquinag, A. C., Souza, G. R. & Kolonin, M. G. Adipose tissue engineering in three-dimensional levitation tissue culture system based on magnetic nanoparticles. *Tissue Eng. Part C. Methods* 19, 336–44 (2013).

Well Number	Magnetic Levitation			Spheroid Bioprinting	
	35 mm dish	6	24	96	384
Application					
Cancer					
Cardiotoxicity					
Hepatotoxicity					
Wound Healing					
Viability Assays					
Organoids					
Genomics					
Western Blotting					

# High-Throughput Compound Screening in 3D

## Toxicity Testing with the n3D BiO Assay

The BiO Assay combines a 3D cell culture environment with high-throughput and high-content testing to effectively predict *in-vivo* response *in vitro*. The current standards for compound screening are animal models; while representing human tissues of interest, these models are expensive, scarce, and present ethical challenges. On the other end, *in-vitro* assays poorly mimic native cellular environments and thus human *in-vivo* response, but offer high-throughput testing with ease. Thus, there is a demand for *in-vitro* assays that are both predictive of human *in-vivo* response and high-throughput, for which the BiO Assay can fulfill.



## Magnetic Printing of Rings



Based on magnetic 3D bioprinting, cells magnetized with NanoShuttle™-PL are printed into spheroids and rings. Immediately after printing, these structures will shrink/close, as a function of cell migration, viability and proliferation.<sup>15</sup> Shrinkage is captured using a compact imaging kit (n3Dock) with an iPod™ programmed by a freely available app (Experiment Assistant) to image whole plates at specific intervals, forgoing the need to image well-by-well under a microscope. Shrinkage is complete within a day, and images are batch processed to rapidly yield toxicity data. Moreover, as shrinkage is label-free, the remaining rings or spheroids are available for further experimentation (IHC, Western blot, genomics, etc.).

## Ring versus Spheroid

The BiO Assay can be used to track the shrinkage of both rings and spheroids. While both shapes will shrink similarly and are assayed identically, the different shapes can represent different situations. For rings, closure of the ring can represent wound-healing, wherein cells are working to close the void in the middle of the ring. Additionally, rings can represent similarly shaped tissues, like blood vessels, where dilation and contraction can be assayed.

For spheroids, shrinkage is related to spheroid assembly, with the assay macroscopically measuring how well the cells are interacting and migrating to build a competent structure.

  **Watch our video**  
"BiO Assay Experiments - Living Data"  
<https://www.youtube.com/watch?v=qMh8wxMGQN4>

  **Watch our video**  
"3T3 vs. ATRA Dot new"  
<https://www.youtube.com/watch?v=JD0BB5Wpm20>




Figure 11: Magnetic printing of rings




Figure 12: n3Dock - iPod-based imaging



15) Souza, G. R. et al. Three-dimensional tissue culture based on magnetic cell levitation. Nat. Nanotechnol. 5, 291-6 (2010).

# Ordering Information

## CELLSTAR® Cell Culture Vessels With Cell-Repellent Surface

Cat. No.	Description	Pieces / Bag	Pieces / Case
<b>Suitable for magnetic approach (and other applications)</b>			
627 979	Cell culture dish, Ø 35 x 10 mm, PS, cell-repellent surface, clear, sterile	10	40
657 970	Cell culture multiwell plate, 6 well, PS, cell-repellent surface, clear, sterile, with lid	1	5
662 970	Cell culture multiwell plate, 24 well, PS, cell-repellent surface, clear, sterile, with lid	1	5
655 970	Cell culture microplate, 96 well, PS, F-bottom/chimney well, cell-repellent surface, clear, sterile, with lid	1	6
655 976-SIN	Cell culture microplate, 96 well, PS, F-bottom/chimney well, cell-repellent surface, black, µClear® film bottom, sterile, with lid	1	32
655 976	Cell culture microplate, 96 well, PS, F-bottom/chimney well, cell-repellent surface, black, µClear® film bottom, sterile, with lid	8	32
781 970	Cell culture microplate, 384 well, PS, cell-repellent surface, clear, sterile, with lid	1	60
781 976-SIN	Cell culture microplate, 384 well, PS, cell-repellent surface, black, µClear® film bottom, sterile, with lid	1	32
781 976	Cell culture microplate, 384 well, PS, cell-repellent surface, black, µClear® film bottom, sterile, with lid	8	32
<b>Further Cell Culture Vessels with Cell-Repellent Surface</b>			
628 979	Cell culture dish, Ø 60 x 15 mm, PS, cell-repellent surface, clear, sterile	10	20
664 970	Cell culture dish, Ø100 x 20 mm, PS, cell-repellent surface, clear, sterile	1	5
677 970	Cell culture multiwell plate, 48 well, PS, cell-repellent surface, clear, sterile, with lid	1	5
650 970	Cell culture microplate, 96 well, PS, U-bottom, cell-repellent surface, clear, sterile, with lid	1	6
651 970	Cell culture microplate, 96 well, PS, V-bottom, cell-repellent surface, clear, sterile, with lid	1	6



## Consumables / Accessories

Cat. No.	Description	Contents	Image
<b>AVAILABLE ON STOCK</b>			
657 841	NanoShuttle™-PL Refill	<ul style="list-style-type: none"> <li>600 µl Vials of NanoShuttle™-PL (1)</li> </ul>	
657 843	NanoShuttle™-PL Refill 3 Pack	<ul style="list-style-type: none"> <li>600 µl Vials of NanoShuttle™-PL (3)</li> </ul>	
657 846	NanoShuttle™-PL Refill 6 Pack	<ul style="list-style-type: none"> <li>600 µl Vials of NanoShuttle™-PL (6)</li> </ul>	
657 850	MagPen™ 3 Pack	<ul style="list-style-type: none"> <li>Teflon caps (3)</li> <li>Magnets (3)</li> </ul>	
780 261	96-Well Mixing Plate		
<b>Available on request</b>			
657 847	NanoShuttle™-PL Refill 6 Pack with FREE iPod™	<ul style="list-style-type: none"> <li>600-µl Vials of NanoShuttle™-PL (6)</li> <li>FREE iPod™ (with purchase of either 655 849 or 781 849)</li> </ul>	
657 860	n3Dock Imaging Kit	<ul style="list-style-type: none"> <li>n3Dock (1)</li> <li>Imaging Mask (1)</li> <li>Light Pad (1)</li> <li>Cooling Fan (1)</li> <li>AC-to-USB Adapter (1)</li> <li>Extension Cord (1)</li> </ul>	
657 810	Battery Power for the n3Dock Imaging Kit	<ul style="list-style-type: none"> <li>Batteries (2)</li> </ul>	



# Ordering Information

## Magnetic Levitation

Cat. No.	Description	Contents	Image
<b>AVAILABLE ON STOCK</b>			
657 840	<b>6-Well Bio-Assembler™ Kit</b>	<ul style="list-style-type: none"> <li>• 600 µl Vials of NanoShuttle™-PL (2)</li> <li>• 6-Well Levitating Drive (1)</li> <li>• 6-Well Concentrating Drive (1)</li> <li>• 6 Well Cell Culture Multiwell Plates with Cell-Repellent Surface (2)</li> </ul>	
662 840	<b>24-Well Bio-Assembler™ Kit</b>	<ul style="list-style-type: none"> <li>• 600 µl Vials of NanoShuttle™-PL (2)</li> <li>• 24-Well Levitating Drive (1)</li> <li>• 24-Well Concentrating Drive (1)</li> <li>• 24 Well Cell Culture Multiwell Plates with Cell-Repellent Surface (2)</li> <li>• Custom Lid (1)</li> </ul>	
<b>Available on request</b>			
627 840	<b>Single-Well Bio-Assembler™ Kit</b>	<ul style="list-style-type: none"> <li>• 600 µl vials of NanoShuttle™-PL (2)</li> <li>• Single-Well Levitating Drives (3)</li> <li>• Single-Well Concentrating Drives (3)</li> <li>• 35 mm Cell Culture Dishes with Cell-Repellent Surface (10)</li> <li>• Holding lid (1)</li> </ul>	
627 830	<b>Single-Well Drives</b>	<ul style="list-style-type: none"> <li>• Single-Well Levitating Drives (3)</li> <li>• Single-Well Concentrating Drives (3)</li> </ul>	
657 830	<b>6-Well Drives</b>	<ul style="list-style-type: none"> <li>• 6-Well Levitating Drive (1)</li> <li>• 6-Well Concentrating Drive (1)</li> </ul>	
662 830	<b>24-Well Drives</b>	<ul style="list-style-type: none"> <li>• 24-Well Levitating Drive (1)</li> <li>• 24-Well Concentrating Drive (1)</li> </ul>	
662 824	<b>24-Well Custom Lid</b>	<ul style="list-style-type: none"> <li>• 3D printed special lid</li> </ul>	

# Ordering Information

## Spheroid Bioprinting

Cat. No.	Description	Contents	Image
<b>AVAILABLE ON STOCK</b>			
655 841	<b>96-Well Bioprinting Kit - Black <math>\mu</math>Clear<sup>®</sup> Plates</b>	<ul style="list-style-type: none"> <li>• 600 <math>\mu</math>l Vials of NanoShuttle™-PL (3)</li> <li>• 96-Well Spheroid Drive (1)</li> <li>• 96-Well Holding Drive (1)</li> <li>• 96 Well Cell Culture Microplate (Black, with <math>\mu</math>Clear<sup>®</sup> Film Bottom) with Cell-Repellent Surface (2)</li> </ul>	
655 830	<b>96-Well Drives</b>	<ul style="list-style-type: none"> <li>• 96-Well Spheroid Drive (1)</li> <li>• 96-Well Holding Drive (1)</li> </ul>	
781 841	<b>384-Well Bioprinting Kit - Black <math>\mu</math>Clear<sup>®</sup> Plates</b>	<ul style="list-style-type: none"> <li>• 600 <math>\mu</math>l Vials of NanoShuttle™-PL (2)</li> <li>• 384-Well Spheroid Drive (1)</li> <li>• 384-Well Holding Drive (1)</li> <li>• 384-Well Cell Culture Microplate (Black, with <math>\mu</math>Clear<sup>®</sup> Film Bottom) with Cell-Repellent Surface (2)</li> </ul>	
781 830	<b>384-Well Drives</b>	<ul style="list-style-type: none"> <li>• 384-Well Spheroid Drive (1)</li> <li>• 384-Well Holding Drive (1)</li> </ul>	
<b>Available on request</b>			
655 840	<b>96-Well Bioprinting Kit</b>	<ul style="list-style-type: none"> <li>• 600 <math>\mu</math>l Vials of NanoShuttle™-PL (3)</li> <li>• 96-Well Spheroid Drive (1)</li> <li>• 96-Well Holding Drive (1)</li> <li>• 96 Well Cell Culture Microplate (Clear) with Cell-Repellent Surface (2)</li> </ul>	
781 840	<b>384-Well Bioprinting Kit</b>	<ul style="list-style-type: none"> <li>• 600 <math>\mu</math>l Vials of NanoShuttle™-PL (2)</li> <li>• 384-Well Spheroid Drive (1)</li> <li>• 384-Well Holding Drive (1)</li> <li>• 384-Well Cell Culture Microplate (Clear) with Cell-Repellent Surface (2)</li> </ul>	

# Ordering Information

## Screening

Cat. No.	Description	Contents
Available on request		
655 846	96-Well BiO Assay™ Kit	<ul style="list-style-type: none"> <li>• 600 µl Vials of NanoShuttle™-PL (3)</li> <li>• 6-Well Levitating Drive (1)</li> <li>• 96-Well Spheroid Drive (1)</li> <li>• 96-Well Holding Drive (1)</li> <li>• 96-Well Ring Drive (1)</li> <li>• 96-Well Deep Well Plate (1)</li> <li>• 6-Well Cell Culture Multiwell Plates with Cell-Repellent Surface (2)</li> <li>• 96-Well Cell Culture Microplates with Cell-Repellent Surface (2)</li> </ul>
655 848	96-Well BiO Assay™ (Greiner Bio-One version)	<ul style="list-style-type: none"> <li>• 600 µl Vials of NanoShuttle™-PL (3)</li> <li>• 6-Well Levitating Drive (1)</li> <li>• 96-Well Spheroid Drive (1)</li> <li>• 96-Well Holding Drive (1)</li> <li>• 96-Well Ring Drive (1)</li> </ul>
655 849	96-Well BiO Assay™ Kit & n3Dock Imaging System	<ul style="list-style-type: none"> <li>• 600 µl Vials of NanoShuttle™-PL (3)</li> <li>• 6-Well Levitating Drive (1)</li> <li>• 96-Well Spheroid Drive (1)</li> <li>• 96-Well Holding Drive (1)</li> <li>• 96-Well Ring Drive (1)</li> <li>• 96-Well Deep Well Plate (1)</li> <li>• 6-Well Cell Culture Multiwell Plates with Cell-Repellent Surface (2)</li> <li>• 96-Well Cell Culture Microplates with Cell-Repellent Surface (2)</li> <li>• n3Dock (1)</li> <li>• Imaging Mask (1)</li> <li>• Light Pad (1)</li> <li>• Cooling Fan (1)</li> <li>• AC-to-USB Adapter (1)</li> <li>• Extension Cord (1)</li> <li>• Analytical Software - link</li> </ul>
781 846	384-Well BiO Assay™ Kit	<ul style="list-style-type: none"> <li>• 600 µl Vials of NanoShuttle™-PL (2)</li> <li>• 6-Well Levitating Drive (1)</li> <li>• 384-Well Spheroid Drive (1)</li> <li>• 384-Well Holding Drive (1)</li> <li>• 96-Well Deep Well Plate (1)</li> <li>• 6-Well Cell Culture Multiwell Plates with Cell-Repellent Surface (2)</li> <li>• 384-Well Cell Culture Microplates with Cell-Repellent Surface (2)</li> </ul>
781 848	384-Well BiO Assay™ (Greiner Bio-One version)	<ul style="list-style-type: none"> <li>• 600 µl Vials of NanoShuttle™-PL (2)</li> <li>• 6-Well Levitating Drive (1)</li> <li>• 384-Well Spheroid Drive (1)</li> <li>• 384-Well Holding Drive (1)</li> </ul>
781 849	384-Well BiO Assay™ Kit & n2Dock Imaging System	<ul style="list-style-type: none"> <li>• 600 µl Vials of NanoShuttle™-PI (2)</li> <li>• 6-Well Levitating Drive (1)</li> <li>• 384-Well Spheroid Drive (1)</li> <li>• 384-Well Holding Drive (1)</li> <li>• 96-Well Deep Well Plate (1)</li> <li>• 6-Well Cell Culture Multiwell Plates with Cell-Repellent Surface (2)</li> <li>• 384-Well Cell Culture Microplates with Cell-Repellent Surface (2)</li> <li>• n3Dock (1)</li> <li>• Imaging Mask (1)</li> <li>• Light Pad (1)</li> <li>• Cooling Fan 81</li> <li>• AC-to-USB Adapter (1)</li> <li>• Extension Cord (1)</li> <li>• Analytica Software - link</li> </ul>

Your **Power** for Health



For further information, please visit our website [www.gbo.com/bioscience](http://www.gbo.com/bioscience) or contact us:

**Germany (Main office)**

Greiner Bio-One GmbH  
Maybachstraße 2  
D-72636 Frickenhausen  
Phone (+49) 70 22 948-0  
Fax (+49) 70 22 948-514  
E-Mail [info@de.gbo.com](mailto:info@de.gbo.com)

**Austria**

Greiner Bio-One GmbH  
Phone (+43) 75 83 67 91-0  
Fax (+43) 75 83 63 18  
E-Mail [office@at.gbo.com](mailto:office@at.gbo.com)

**China**

Greiner Bio-One GmbH  
Phone (+86) 21 62 72 70 58  
Fax (+86) 21 62 72 73 55  
E-Mail [info@cn.gbo.com](mailto:info@cn.gbo.com)

**Netherlands**

Greiner Bio-One B.V.  
Phone (+31) 1 72 42 09 00  
Fax (+31) 1 72 44 38 01  
E-Mail [info@nl.gbo.com](mailto:info@nl.gbo.com)

**Belgium**

Greiner Bio-One BVBA/SPRL  
Phone (+32) 24 61 09 10  
Fax (+32) 24 61 09 05  
E-Mail [info@be.gbo.com](mailto:info@be.gbo.com)

**France**

Greiner Bio-One SAS  
Phone (+33) 1 69 86 25 50  
Fax (+33) 1 69 86 25 36  
E-Mail [infos@fr.gbo.com](mailto:infos@fr.gbo.com)

**UK**

Greiner Bio-One Ltd.  
Phone (+44) 14 53 82 52 55  
Fax (+44) 14 53 82 62 66  
E-Mail [info@uk.gbo.com](mailto:info@uk.gbo.com)

**Brazil**

Greiner Bio-One Brasil  
Phone (+55) 19 34 68 96 00  
Fax (+55) 19 34 68 96 21  
E-Mail [office@br.gbo.com](mailto:office@br.gbo.com)

**Japan**

Greiner Bio-One Co. Ltd.  
Phone (+81) 3 35 05 88 75  
Fax (+81) 3 35 05 89 74  
E-Mail [info@jp.gbo.com](mailto:info@jp.gbo.com)

**USA**

Greiner Bio-One North America Inc.  
Phone (+1) 70 42 61 78 00  
Fax (+1) 70 42 61 78 99  
E-Mail [info@us.gbo.com](mailto:info@us.gbo.com)